SASVAT®

CERAMICA

ULTIMATE TILING SOLUTION

PORCELAIN BODY

60x60cm

60x120cm

SASVAT CERAMICA

2024/2025

Traditional & Innovation

सत्यमेव जयते

The Only Factory In India Which Followed The Lab Test Of Spain & The Most Exporting Company In Spain & Italy

SASVAT
CERAMICA






Porcelánico Pulido

Porcelain

FINE FEATURES

SASVAT CERAMICA

01



VARIOUS SIZE

You may maintain a delicate balance between the use experience and the building effort involved by choosing from one of our many size.


02



FIRE RESISTANCE

We offer tiles that won't burn. Due to the material's inertness,a fire won't produce any toxins or volatile organic compounds (VOCs)


03



TEMPRATURE RESISTANCE

Our tiles are temprature resistant and can withstand high temperature up to 1600ºc

04



CHEMICAL RESISTANCE


Our ceramic materials have extremely high chemical resistance and stain resistance.The appropriate specified ceramic surface from tree tile can be installed in almost any commercial Setting, including laboratories, hospital & processing plants.

FINISH
MATT / R11


SIZE
60x60cm / 60x120cm

SASVAT CERAMICA

NEW



ASPHALT GREY **R - 4**



ZERMAAT TERRA **R - 4**




ARKESIA BIANCO **R - 4**




ARKESIA GREY **R - 4**

NEW



STRACCIATELLA GREY **R - 6**

NEW



STRACCIATELLA CENE **R - 6**



BELSTONE BEIGE **R - 4**



BELSTONE WHITE **R - 4**

NEW



ARKETY LIGHT **R - 4**

NEW



RUSTIKO CEMENTO 002 **R - 4**

Minimum 3mm Spacer Recommed

FINISH	SIZE
MATT / R11	60x60cm / 60x120cm


SASVAT CERAMICA



ASH ATHENA R - 3



UMBER ATHENA R - 3



CEMENTO ATHENA R - 3



KAOLIN ATHENA R - 3



CONCRETE GREY R - 3



CONCRETE GRIS R - 3



WAYFAIR GREY R - 2



WAYFAIR LIGHT R - 2



INTERGRITY DARK R - 4



INTERGRITY LIGHT R - 4

Minimum 3mm Spacer Recommed

FINISH
MATT / R11

SIZE
60x60cm / 60x120cm

SASVAT CERAMICA




FLAKES GREY **R - 4**



FLAKES BIANCO **R - 4**



FLAKES BROWN **R - 4**



ROCK WAVE **R - 3**



GEMSTONE GREY **R - 3**




GEMSTONE LIGHT **R - 3**



GEMSTONE BROWN **R - 3**



GEMSTONE CREMA **R - 3**




BRADLEY GREY **R - 4**



BRADLEY SILVER **R - 4**

Minimum 3mm Spacer Recommed



FINISH	SIZE
MATT / R11	60x60cm / 60x120cm

SASVAT CERAMICA




UNIK GREY R - 4



UNIK ASH R - 4



UNIK BROWN R - 4



UNIK IVORY R - 4




SULLIVAN GREY R - 2



SULLIVAN LIGHT R - 2




RUE DE PARIS R - 4



UNIVERS BEIGE R - 3



TRAVERTINE PHOMI R - 3




SIDRON GREY R - 3

Minimum 3mm Spacer Recommed

FINISH	SIZE
MATT / R11	60x60cm / 60x120cm

SASVAT CERAMICA



WALES NERO R - 4



COTTAGE CIPRESSO NATURAL R - 4



FLORIM NERO R - 4



FLORIM BRICK R - 4

LOMION VERDIGRIS R - 2


BOLONIA BLANCO (MATT) R - 6



SUPER STATUARIO(MATT) R - 4



WOLF STATUARIO (MATT) R - 4



VINTAGE STATUARIO (MATT) R - 4



L_DORADO STATUARIO (MATT) R - 3

Minimum 3mm Spacer Recommed

FINISH
MATT / R11

SIZE
60x60cm / 60x120cm

SASVAT CERAMICA



SC-MOON BIANCO **R - 4**




SC-MOON GRIS **R - 4**



SC-MOON NERO **R - 4**



SC-MOON CREMA **R - 4**




SC-BRECCIA MORSE **R - 3**



SC-DAKOTA STONE **R - 4**



SC-RICHMOND WHITE **R - 4**



SC-STATUARIO NORE **R - 2**




SC-PORTICO BIANCO **R - 4**



SC-PORTICO VERDE **R - 4**

Minimum 3mm Spacer Recommed



FINISH
MATT / R11

SIZE
60x60cm / 60x120cm

SASVAT CERAMICA



PISA GOLD R - 4



SC-LYCRA ALMOND R - 3



SC-LYCRA SILVER GREY R - 3




SC-LYCRA GREY R - 3



SC-FERRARI BIANCO R - 4




SC-FERRARI SILVER GREY R - 4



SC-FERRARI NERO R - 4



SC-FERRARI CREMA R - 4




SC-MARMOLA DARK R - 3



SC-MARMOLA LIGHT R - 3

Minimum
3mm
Spacer
Recommed



FINISH	SIZE
MATT / R11	60x60cm / 60x120cm

SASVAT CERAMICA



NERO GREY R - 4



NERO BIANCO R - 4



NERO BROWN R - 4




NERO BRICK R - 4



APOLLO GRIS R - 3




URBANTEK CREMA R - 1



STONE GREY R - 4



TERRAZZO DIMOND R - 3



SC-KOTA STONE R - 2

Minimum
3mm
Spacer
Recommed


SPECIAL COLOUR

FINISH	SIZE
MATT	60x60cm / 60x120cm

SASVAT CERAMICA



SC-AMAZON LIGHT GREY R - 1




SC-AMAZON WHITE R - 1



SC-AMAZON EARTH LIGHT R - 1



SC-AMAZON EARTH DARK R - 1




SC-AMAZON ASH R - 1




SC-AMAZON AQUA R - 1




SC-AMAZON BEIGE R - 1



SC-AMAZON CREMA R - 1




SC-AMAZON BROWN R - 1



SC-AMAZON FAWN R - 1

Minimum
3mm
Spacer
Recommed



Sr No.	CHARACTERISTICS	ISO TEST METHODS	VITRIFIED TILES REQUIREMENT AS PER ISO 13006 BIa / EN176 BIa	VITRIFIED TILES IS 15622 : 2006 GROUP BIa	OUR VALUE
A	**Dimention & Surface Quality**				
1	Deviation in Length & Width	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
2	Deviation in Thickness	ISO 10545-2	+/- 5.0 %	+/- 4.0 %	+/- 3.5 %
3	Straightness of sides	ISO 10545-2	+/- 0.5 %	+/- 0.1 %	+/- 0.08 %
4	Rectangularity	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
5	Surface Flatness	ISO 10545-2	+/- 0.5 %	+/- 0.2 %	+/- 0.2 %
6	Color Difference	ISO 10545-2	Unaltered	Unaltered	No Change
7	Surface Coating	Nano Machine	As per Manufacturer Norms	As per Manufacturer Norms	As per Manufacturer Norms
B	**Phsical Properties**				
1	Water Absorption	ISO 10545-3	≤0.5%	≤0.08%	0.5 Below
2	Flexural Strength (MOR)	ISO 10545-4	≥ 35 N mm2	≥ 44 N mm2	44
3	Flexural Breaking Strength	SO 10545-4	> 1300 N	> 1500 N	1900 N
4	Bulk Density (GM/CC)	IDIN 51082	> 2 gm/cc	> 2.2 gm/cc	2.35 gm/cc
5	Glossiness	GLOSSOMETER	As per Manufacturer Norms	As per Manufacturer Norms	Min 95 %
6	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.4	> 0.6
C	**Chemical Properties**				
1	Staining Resistance	ISO 10545-14	Resistant	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage	No Damage
D	**Thermal Properties**				
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage	Passed
2	Thermal Expansion	ISO 10545-8	9 x 10 - 6 max	9x10 - 6 - k - 1 max	Passed
3	Moisture Expansion	ISO 10545-10	Nil	Nil	Passed


Home


School


Restaurant



Bank


Hospital



Multiplex


Religion Place


Industry


Airport


Dance Mall


Gymnasium


Super Market



thank you

SASVAT CERAMICA

For Overseas Inquiry

SASVAT CERAMICA INDIA

8-A, National Highway,At Lalpar Dist-Morbi.(Gujarat -India)

Contact No. - +91 70163 63457

Mail - export@sasvatceramica.com